



J.C. GUPTA & SONS

GSTIN : 29AABFJ2719C1ZO
IEC : 00710030274

Fastener Super Speciality

#7/A, Sree Venkateshwara Building, Sadar Patrapa Road, Bengaluru - 560002

41478141, 9880539870 www.jcfasteners.com sales@jcfasteners.com

MUTLIGRIP BLIND RIVET Domed Head

Rivet Body


Aluminium Al-Mg 2.5

Mandrel

Steel zinc plated



Catalogue Datasheet E1D34G



Dimensions in mm

Rivet Size	Hole Size	Shear	Tensile	P	D2	D1	L	k	d
\emptyset				Stem Length	Head Dia	Rivet Dia	Rivet Length Tolerance	Hd Thickness	Stem Dia
3.2	3.3 mm	680N	980N	≥ 27.0	6.0 + /-0.24	3.2 +0.05/-0.13	+1.0/-0.2	≤ 1.4	1.78
4.0	4.1 mm	1150N	1600N	≥ 27.0	8.0 + /-0.29	4.0 +0.05/-0.13	+1.0/-0.2	≤ 1.7	2.18

	F-Max		Part No
3.2 x 6.0	10.0 mm	1.0-4.0 mm	E1D3432006G
3.2 x 8.0	12.0 mm	1.0-5.0 mm	E1D3432008G
3.2 x 9.5	13.5 mm	1.3-6.4 mm	E1D3432905G
3.2 x 10.0	14.0 mm	2.5-7.0 mm	E1D3432010G
3.2 x 11.1	15.1 mm	4.0-7.9 mm	E1D3432111G
3.2 x 12.0	16.0 mm	4.5-9.0 mm	E1D3432012G
3.2 x 12.7	16.7 mm	5.5-9.5 mm	E1D3432127G
3.2 x 14.0	18.0 mm	6.5-11.0 mm	E1D3432014G
3.2 x 16.0	20.0 mm	8.5-13.0 mm	E1D3432016G
4.0 x 6.0	10.0 mm	1.0-3.5 mm	E1D3404006G

	Part No		F-Max
4.0 x 8.0	E1D3404008G	1.0-5.0 mm	12.0 mm
4.0 x 9.5	E1D3404905G	1.2-6.4 mm	13.5 mm
4.0 x 10.0	E1D3404010G	1.5-6.5 mm	14.0 mm
4.0 x 12.0	E1D3404012G	3.5-8.5 mm	16.0 mm
4.0 x 12.7	E1D3404127G	4.0-9.5 mm	16.7 mm
4.0 x 14.0	E1D3404014G	5.5-10.5 mm	18.0 mm
4.0 x 16.0	E1D3404016G	6.0-12.5 mm	20.0 mm
4.0 x 17.0	E1D3404017G	6.4-13.5 mm	21.0 mm
4.0 x 18.0	E1D3404018G	9.5-14.5 mm	22.0 mm
4.0 x 20.0	E1D3404020G	11.5-16.5 mm	24.0 mm

Sizes in BLUE are non-preferred. Availability is limited and MOQ is higher

Data is strictly informative



J.C. GUPTA & SONS

GSTIN : 29AABFJ2719C1ZO
IEC : 00710030274

Fastener Super Speciality

#7/A, Sree Venkateshwara Building, Sadar Patrapa Road, Bengaluru - 560002

41478141, 9880539870 www.jcfasteners.com sales@jcfasteners.com

MUTLIGRIP BLIND RIVET Domed Head

Rivet Body


Aluminium Al-Mg 2.5

Mandrel

Steel zinc plated



Catalogue Datasheet E1D34G



Dimensions in mm

Rivet Size	Hole Size	Tensile	Shear	P	D2	D1	L	k	d
\emptyset				Stem Length	Head Dia	Rivet Dia	Rivet Length Tolerance	Hd Thickness	Stem Dia
4.8	4.9 mm	1500N	2350N	≥ 27.0	9.5 + /-0.29	4.8 +0.05/-0.13	+1.0/-0.2	≤ 2.0	2.78
6.4	6.5 mm	2800N	4000N	≥ 27.0	13.0 + /-0.3	6.4 +0.08/-0.15	+1.0/-0.2	≤ 2.0	3.65

	F-Max		Part No
4.8 x 10.0	14.5 mm	1.0-6.0 mm	E1D3448010G
4.8 x 10.3	14.8 mm	1.6-6.4 mm	E1D3448103G
4.8 x 12.0	16.5 mm	2.0-8.0 mm	E1D3448012G
4.8 x 14.0	18.4 mm	4.0-10.0 mm	E1D3448014G
4.8 x 15.1	19.6 mm	4.8-11.0 mm	E1D3448151G
4.8 x 16.0	20.5 mm	6.0-12.5 mm	E1D3448016G
4.8 x 17.0	21.5 mm	6.4-12.7 mm	E1D3448017G
4.8 x 18.0	22.5 mm	8.0-14.0 mm	E1D3448018G
4.8 x 20.0	24.5 mm	10.0-16.0 mm	E1D3448020G

	Part No		F-Max
4.8 x 22.0	E1D3448022G	12.0-18.0 mm	26.5 mm
4.8 x 24.0	E1D3448024G	12.5-20.0 mm	28.5 mm
4.8 x 24.8	E1D3448248G	12.7-21.0 mm	29.3 mm
4.8 x 27.0	E1D3448027G	17.0-23.0 mm	31.5 mm
4.8 x 30.0	E1D3448030G	20.0-25.0 mm	34.5 mm
6.4 x 15.0	E1D3460415G	1.5-9.0 mm	21.4 mm
6.4 x 20.0	E1D3460420G	6.0-14.0 mm	26.4 mm
6.4 x 25.0	E1D3460425G	10.0-18.0 mm	31.4 mm

Sizes in BLUE are non-preferred. Availability is limited and MOQ is higher

Data is strictly informative