Expandet Extra V2 Outdoor

Expandet Extra V2 Outdoor is a allround screw with countersunk head, milling ribs, fibercut and saw thread. It is coated with ceramic coating technology for outdoor use according to Euro Code 5. Suitable for use in ACQ timber.

CE-marked for loadbearing constructions.

ADVANTAGES

- Ceramic-Dual coating
- Milling ribs ensures a perfect countersinking.
- Fiber Cut tip minimizes the risk of cracks in materials.
- Screw-in process is optimized by the Saw thread.

CE

Expandet Screw Anchors A/S • Tlf. +45 70 22 79 79 • Fax +45 70 22 79 89 • salg@expandet.dk • www.expandet.dk

Expandet Extra V2 Outdoor

EXPANDET EXTRA V2 OUTDOOR

CE

TYPE DIMENSION MM			TX	THREAD LENGTH MM	HEAD DIAMETER MM	INNER DIAMETER MM	EXPANDET ARTICLE NO.	PCS. PER BOX	Part No	EAN 13 PER BOX
3,0 x 15	*	•	10	full thread	6	1,8	0130015	500	N1L4203015	5708620208046
3,0 x 20	*	•	10	full thread	6	1,8	0130020	500	N1L4203020	5708620208053
3,0 x 25	*	•	10	full thread	6	1,8	0130025	500	N1L4203025	5708620208060
3,0 x 30		•	10	18	6	1,8	0130030	500	N1L4203030	5708620208077
3,0 x 40		•	10	24	6	1,8	0130040	500	N1L4203040	5708620208084
3,5 x 15	*	•	20	full thread	7,0	2,1	0135015	500	N1L4235015	5708620208091
3,5 x 20	*	•	20	full thread	7,0	2,1	0135020	500	N1L4235020	5708620208107
3,5 x 25	*		20	full thread	7,0	2,1	0135025	500	N1L4235025	5708620208114
3,5 x 30			20	18	7,0	2,1	0135030	500	N1L4235030	5708620208121
3,5 x 35			20	21	7,0	2,1	0135035	500	N1L4235035	5708620208138
3,5 x 40			20	24	7,0	2,1	0135040	500	N1L4235040	5708620208145
3,5 x 50			20	30	7,0	2,1	0135050	500	N1L4235050	5708620208152
4,0 x 20		•	20	full thread	8,0	2,4	0140020	500	N1L4204020	5708620208169
4,0 x 25			20	full thread	8,0	2,4	0140025	500	N1L4204025	5708620208176
4,0 x 30			20	18	8,0	2,4	0140030	500	N1L4204030	5708620208183
4,0 x 35			20	21	8,0	2,4	0140035	500	N1L4204035	5708620208190
4,0 x 40			20	24	8,0	2,4	0140040	500	N1L4204040	5708620208206
4,0 x 45			20	27	8,0	2,4	0140045	500	N1L4204045	5708620208213
4,0 x 50			20	30	8,0	2,4	0140050	500	N1L4204050	5708620208220
4,0 x 60			20	36	8,0	2,4	0140060	200	N1L4204060	5708620208237
4,0 x 70			20	42	8,0	2,4	0140070	200	N1L4204070	5708620208244
4,5 x 25			20	full thread	9,0	2,7	0145025	200	N1L4245025	5708620208251
4,5 x 30			20	18	9,0	2,7	0145030	200	N1L4245030	5708620208268
4,5 x 35			20	21	9,0	2,7	0145035	200	N1L4245035	5708620208275
4,5 x 40			20	24	9,0	2,7	0145040	200	N1L4245040	5708620208282
4,5 x 50			20	30	9,0	2,7	0145050	200	N1L4245050	5708620208299
4,5 x 60			20	36	9,0	2,7	0145060	200	N1L4245060	5708620208305
4,5 x 70			20	42	9,0	2,7	0145070	200	N1L4245070	5708620208312
4,5 x 80			20	48	9,0	2,7	0145080	200	N1L4245080	5708620208329
5,0 x 30			20	18	10,0	3,0	0150030	200	N1L4205030	5708620208336
5,0 x 40			20	24	10,0	3,0	0150040	200	N1L4305040	5708620208343
5,0 x 50			20	30	10,0	3,0	0150050	200	N1L4205050	5708620208350
5,0 x 60			20	36	10,0	3,0	0150060	200	N1L4205060	5708620208367
5,0 x 70			20	42	10,0	3,0	0150070	200	N1L4205070	5708620208374
5,0 x 80			20	48	10,0	3,0	0150080	200	N1L4205080	5708620208381
5,0 x 90			20	54	10,0	3,0	0150090	200	N1L4205090	5708620208398
5,0 x 100			20	60	10,0	3,0	0150100	200	N1L4205100	5708620208404
5,0 x 120			20	72	10,0	3,0	0150120	200	N1L4205120	5708620208411
6,0 x 60			30	36	12,0	3,6	0160060	200	N1L4206060	5708620208428
6,0 x 70			30	42	12,0	3,6	0160070	200	N1L4206070	5708620208435
6,0 x 80			30	48	12,0	3,6	0160080	200	N1L4206080	5708620208442
6,0 x 90			30	54	12,0	3,6	0160090	200	N1L4206090	5708620208459
6,0 x 100			30	60	12,0	3,6	0160100	100	N1L4206100	5708620208466
6,0 x 120			30	72	12,0	3,6	0160120	100	N1L4206120	5708620208473
6,0 x 150			30	72	12,0	3,6	0160150	100	N1L4206150	5708620208480
6,0 x 180			30	72	12,0	3,6	0160180	100	N1L4206180	5708620208497
6,0 x 200			30	72	12,0	3,6	0160200	100	N1L4206200	5708620208503

** Without milling ribs*
• Not included in CE-marking

10 SPITAX SONS

Expandet Extra with pan head, Outdoor

Expandet Extra with pan head, fibercut and saw thread, with ceramic coating technology for outdoor use according to Euro Code 5. Suitable for use in ACQ timber.

EXPANDET EXTRA WITH PAN HEAD, OUTDOOR

TYPE DIMENSION MM		TX	THREAD LENGTH MM	HEAD DIAMETER MM	INNER DIAMETER MM	EXPANDET ARTICLE NO.	PCS. PER BOX	Part No	EAN 13 PER BOX
3,5 x 15	•	15	full thread	7,0	2,1	1135015	200	N1L4135015	5708620208510
3,5 x 25	•	15	full thread	7,0	2,1	1135025	200	N1L4135025	5708620208527
4,0 x 15	•	20	full thread	8,0	2,4	1140015	200	N1L4104015	5708620208534
4,0 x 20		20	full thread	8,0	2,4	1140020	200	N1L4104020	5708620210001
4,0 x 25		20	full thread	8,0	2,4	1140025	200	N1L4104025	5708620210018
4,0 x 30		20	full thread	8,0	2,4	1140030	200	N1L4104030	5708620208541
4,0 x 40		20	35	8,0	2,4	1140040	200	N1L4104040	5708620208558
4,0 x 50		20	35	8,0	2,4	1140050	200	N1L4104050	5708620208565
4,0 x 60		20	35	8,0	2,4	1140060	200	N1L4104060	5708620210025
5,0 x 20		20	full thread	10,0	3,0	1150020	200	N1L4105020	5708620210032
5,0 x 25		20	full thread	10,0	3,0	1150025	200	N1L4105025	5708620208572
5,0 x 30		20	full thread	10,0	3,0	1150030	200	N1L4105030	5708620208589
5,0 x 40		20	full thread	10,0	3,0	1150040	200	N1L4105040	5708620208596
5,0 x 50		20	40	10,0	3,0	1150050	200	N1L4105050	5708620209425
5,0 x 60		20	40	10,0	3,0	1150060	200	N1L4105060	5708620208602
5,0 x 70		20	42	10,0	3,0	1150070	200	N1L4105070	5708620210049
5,0 x 80		20	48	10,0	3,0	1150080	200	N1L4105080	5708620210056
6,0 x 40		30	full thread	12,0	3,6	1160040	200	N1L4106040	5708620209418
6,0 x 50		30	full thread	12,0	3,6	1160050	200	N1L4106050	5708620209401
6,0 x 60		30	36	12,0	3,6	1160060	200	N1L4106060	5708620210063
6,0 x 70		30	42	12,0	3,6	1160070	200	N1L4106070	5708620210070
6,0 x 80		30	48	12,0	3,6	1160080	200	N1L4106080	5708620210087
6,0 x 90		30	54	12,0	3,6	1160090	100	N1L4106090	5708620210094
6,0 x 100		30	60	12,0	3,6	1160100	100	N1L4106100	5708620210100
6,0 x 120		30	72	12,0	3,6	1160120	100	N1L4106120	5708620210117

• Not included in CE-marking

JC GUFTA & SONS

Expandet Extra V2 Inox A4 (316)

Expandet Extra V2 allround screw with countersunk head, milling ribs and saw thread. Produced in A4 (316) suitable for outdoor use according to Euro Code 5. It is suitable in ACQ with a high content of tannic acid (larch and oak), and in aggressive environments.

CE-marked in loadbearing constructions.

ADVANTAGES

- Can be used in timber with a high content of tannic acid (larch and oak), and in aggressive environments.
- Milling ribs ensures a perfectly adapted countersink
- Fiber Cut tip minimizes the risk of cracks in materials
- Screw-in process is optimized by the Saw thread.

CE

10 CUBTA & SONS

Expandet Extra V2 Inox A4 (316)

EXPANDET EXTRA V2 INOX A4

CE

TYPE DIMENSION MM			TX	THREAD LENGTH MM	HEAD DIAMETER MM	INNER DIAMETER MM	EXPANDET ARTICLE NO.	PCS. PER BOX	Part No	EAN 13 PER BOX
3,5 x 15	*	•	20	full thread	7,0	2,1	0235015	200	N3L4235015	5708620210643
3,5 x 20	*	•	20	full thread	7,0	2,1	0235020	200	N3L4235020	5708620210650
3,5 x 25	*	•	20	full thread	7,0	2,1	0235025	200	N3L4235025	5708620210667
3,5 x 30		•	20	18	7,0	2,1	0235030	200	N3L4235030	5708620210674
4,0 x 20	*	•	20	full thread	8,0	2,4	0240020	200	N3L4204020	5708620210681
4,0 x 30			20	18	8,0	2,4	0240030	200	N3L4204030	5708620210698
4,0 x 40			20	24	-	2,4	0240040	200	N3L4204040	5708620209432
4,0 x 50			20	30	8,0	2,4	0240050	200	N3L4204050	5708620210704
4,0 x 60			20	36	8,0	2,4	0240060	200	N3L4204060	5708620210711
4,5 x 50			20	30	9,0	2,7	0245050	200	N3L4245050	5708620208800
4,5 x 60			20	36	9,0	2,7	0245060	200	N3L4245060	5708620208817
5,0 x 50			20	30	10,0	3,0	0250050	200	N3L4205050	5708620208824
5,0 x 60			20	36	10,0	3,0	0250060	100	N3L4205060	5708620208831
5,0 x 70			20	42	10,0	3,0	0250070	100	N3L4205070	5708620208848
5,0 x 80			20	48	10,0	3,0	0250080	100	N3L4205080	5708620208855
5,0 x 90			20	54	10,0	3,0	0250090	100	N3L4205090	5708620210728
5,0 x 100			20	60	-	3,0	0250100	100	N3L4205100	5708620209449
5,0 x 120			20	72	10,0	3,0	0250120	100	N3L4205120	5708620210735
6,0 x 100			30	60	11,9	3,6	0260100	100	N3L4206100	5708620208862
6,0 x 120			30	72	11,9	3,6	0260120	100	N3L4206120	5708620208879
6,0 x 150			30	72	11,9	3,6	0260150	100	N3L4206150	5708620210742

** Without milling ribs*
• Not included in CE-marking

Expandet Extra Inox A4 (316) with pan head

EXPANDET EXTRA INOX A4 with pan head

CE

TYPE DIMENSION MM		TX	THREAD LENGTH MM	HEAD DIAMETER MM	INNER DIAMETER MM	EXPANDET ARTICLE NO.	PCS. PER BOX	Part No	EAN 13 PER BOX
3,5 x 15	•	15	full thread	7,0	2,1	1235015	200	N3L4135015	5708620210759
3,5 x 20	•	15	full thread	7,0	2,1	1235020	200	N3L4135020	5708620210766
3,5 x 25	•	15	full thread	7,0	2,1	1235025	200	N3L4135025	5708620210773
3,5 x 30	•	15	full thread	7,0	2,1	1235030	200	N3L4135030	5708620210780
4,0 x 20		20	full thread	8,0	2,4	1240020	200	N3L4104020	5708620210797
4,0 x 30		20	full thread	8,0	2,4	1240030	200	N3L4104030	5708620210803
4,0 x 40		20	35	8,0	2,4	1240040	200	N3L4104040	5708620210810
4,0 x 50		20	35	8,0	2,4	1240050	200	N3L4104050	5708620210827
5,0 x 20	•	20	full thread	10,0	3,0	1250020	200	N3L4105020	5708620210834
5,0 x 25		20	full thread	10,0	3,0	1250025	200	N3L4105025	5708620210841
5,0 x 30		20	full thread	10,0	3,0	1250030	200	N3L4105030	5708620210858
5,0 x 60		20	40	10,0	3,0	1250060	100	N3L4105060	5708620210865
5,0 x 70		20	42	10,0	3,0	1250070	100	N3L4105070	5708620210872
5,0 x 80		20	48	10,0	3,0	1250080	100	N3L4105080	5708620210889

• Not included in CE-marking

TO BE UPDATED